



Sunelex


SUNSCREEN
FABRICS

CLASSIC
COLLECTION

WWW.SUNETEX.COM

Sunetex

SUNSCREEN FABRIC
CLASSIC COLLECTION





1100 SERIES

Openness 5%

Composition:	29% Polyester & 71% PVC
Finished Width:	200/250/300cm
Thickness:	0.75mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m ²	520g/m ² $\pm$ 5%
Mesh/In(inch):	36*36
Breaking Strength:	Warp 2600N/5cm Weft 2600N/5cm
Anti-Ultraviolet:	95%
Color Fastness:	GRADE 4.5, AATCC 16-2003
Fire Classification:	NFPA701(USA)



www.sunetex.com





1100 SERIES BASIC

1101	1106
1102	1107
1103	1108
1104	1110
1105	1111

Applications



Roller Shades



Panel Tracks



Roman Shades



Skylight Shades

WWW.SUNETEX.COM

SUNETEX

1100 SERIES BASIC
BY GROUPEVE



SICHUAN GROUPEVE CO.,LTD

NO.1098,MIDDLE SECTION OF JIANNAN AVENUE,
HIGH-TECH ZONE,CHENGDU, SICHUAN, P.R. CHINA

TEL./FAX:0086-28-8533 3329

EMAIL:info@groupeve.com

www.sunetex.com