



Sunelex


SUNSCREEN
FABRICS

CLASSIC
COLLECTION

WWW.SUNETEX.COM

Sunetex

SUNSCREEN FABRIC
CLASSIC COLLECTION





1200 SERIES

Openness 5%

Composition:	29% Polyester & 71% PVC
Finished Width:	200/250/300cm
Thickness:	0.55mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m ²	410g/m ² $\pm$ 5%
Mesh/In(inch):	48*46
Breaking Strength:	Warp 1600N/5cm Weft 1500N/5cm
Anti-Ultraviolet:	95%
Color Fastness:	GRADE 4.5, AATCC 16-2003
Fire Classification:	NFPA701(USA)



www.sunetex.com





1200 SERIES BASIC

1201	1206
1202	1207
1203	1208
1204	1210
1205	1211

Applications



Roller Shades



Panel Tracks



Roman Shades



Skylight Shades

WWW.SUNETEX.COM

SUNETEX

1200 SERIES BASIC
BY GROUPEVE



SICHUAN GROUPEVE CO.,LTD

NO.1098,MIDDLE SECTION OF JIANNAN AVENUE,
HIGH-TECH ZONE,CHENGDU, SICHUAN, P.R. CHINA

TEL./FAX:0086-28-8533 3329

EMAIL:info@groupeve.com

www.sunetex.com