



Sunelex

SUNSCREEN
FABRICS

CLASSIC
COLLECTION

WWW.SUNETEX.COM

Sunetex

SUNSCREEN FABRIC
CLASSIC COLLECTION



1500 SERIES

Openness 5%

Composition:	29% Polyester & 71% PVC
Finished Width:	200/250/300cm
Thickness:	0.73mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m ²	430g/m ² $\pm$ 5%
Mesh/In(inch):	48*46
Breaking Strength:	Warp 1600N/5cm Weft 1500N/5cm
Anti-Ultraviolet:	95%
Color Fastness:	GRADE 4.5, AATCC 16-2003
Fire Classification:	NFPA701(USA)



www.sunetex.com







1501



1502



1503




1504



1505



1506



1507

Applications



Roller Shades



Panel Tracks



Roman Shades



Skylight Shades

WWW.SUNETEX.COM

SUNETEX

1500 SERIES

BY GROUPEVE



SICHUAN GROUPEVE CO.,LTD

NO.1098,MIDDLE SECTION OF JIANNAN AVENUE,
HIGH-TECH ZONE,CHENGDU, SICHUAN, P.R. CHINA

TEL./FAX:0086-28-8533 3329

EMAIL:info@groupeve.com

www.sunetex.com