



Sunelex


SUNSCREEN
FABRICS

CLASSIC
COLLECTION

WWW.SUNETEX.COM

Sunetex

SUNSCREEN FABRIC
CLASSIC COLLECTION



5000 SERIES

Openness 1%

Composition:	29% Polyester & 71% PVC
Finished Width:	200/250/300cm
Thickness:	0.73mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m ²	525g/m ² $\pm$ 5%
Mesh/In(inch):	82*34
Breaking Strength:	Warp 2740N/5cm Weft 1200N/5cm
Anti-Ultraviolet:	99%
Color Fastness:	GRADE 4.5, AATCC 16-2003
Fire Classification:	NFPA701(USA)



www.sunetex.com






5001



5002



5003



5004



Applications



Roller Shades



Panel Tracks



Roman Shades



Skylight Shades

WWW.SUNETEX.COM

SUNETEX

5000 SERIES BASIC

BY GROUPEVE



SICHUAN GROUPEVE CO.,LTD

NO.1098,MIDDLE SECTION OF JIANNAN AVENUE,
HIGH-TECH ZONE,CHENGDU, SICHUAN, P.R. CHINA

TEL./FAX:0086-28-8533 3329

EMAIL:info@groupeve.com

www.sunetex.com