



Sunelex

SUNSCREEN
FABRICS

CLASSIC
COLLECTION

WWW.SUNETEX.COM

Sunetex

SUNSCREEN FABRIC
CLASSIC COLLECTION




6000 SERIES

Openness 1%

Composition:	25% Polyester & 75% PVC
Finished Width:	200/250/300cm
Thickness:	1.00mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m ²	725g/m ² $\pm$ 5%
Mesh/In(inch):	50*16
Breaking Strength:	Warp 3824N/5cm Weft 1224N/5cm
Anti-Ultraviolet:	99%
Color Fastness:	GRADE 4.5, AATCC 16-2003
Fire Classification:	NFPA701(USA)




www.sunetex.com





6001



6002



6003

Applications



Roller Shades



Panel Tracks



Roman Shades



Skylight Shades

WWW.SUNETEX.COM

SUNETEX

6000 SERIES HIGH STRENGTH

BY GROUPEVE



SICHUAN GROUPEVE CO.,LTD

NO.1098,MIDDLE SECTION OF JIANNAN AVENUE,
HIGH-TECH ZONE,CHENGDU, SICHUAN, P.R. CHINA

TEL./FAX:0086-28-8533 3329

EMAIL:info@groupeve.com

www.sunetex.com