

sunewin blinds fabric



www.groupeve.com

www.groupeve.com

SuneTex®

3% OPENNESS EXA00 SERIES

ITEM NO.

EXA01

EXA02

EXA03

EXA04

EXA05

EXA06

COLOR

White

Light Beige

Beige

Light Grey


Grey

Black

SPECIFICATION

COMPOSITION	30% Polyester+70% PVC
FINISHED WIDTH	2m/2.5m/3m
ROLL LENGTH	30 Linear Meters
WEIGHT	290 g/m ² ±5%
THICKNESS	0.32mm±5%
OPENNESS	3%
BREAKING STRENGTH	≥1500/5cm; ≥1600/5cm
TEARING STRENGTH	≥110; ≥120
COLOR FASTNESS	GRADE 8, ISO 105 B04
ANTI-ULTRAVIOLET	97%
ANTI-BACTERIA STANDARD	ASTM G21
ECOFRIENDLY TEST	GREENGUARD, GREENGUARD GOLD
FR STANDARD	NFPA701(USA) & GB/T17591 B1 CLASS1/EN 13773-1, B-S1, D0/EN 13501-1 CAN/ULC-S109







GROUPEVE
SUNSHADE TEXTILES

SICHUAN GROUPEVE CO.,LTD

No.1098,Middle Section of Jiannan Avenue, High-Tech. Zone,Chengdu,P.R.China

Tel./ Fax:0086 28 8533329,

Tel./Fax.0086 28 85333329

Email:info@groupeve.com