

sunewin blinds fabric



www.groupeve.com

www.groupeve.com

SuneTex®


4% OPENNESS EXB00 SERIES

ITEM NO.	COLOR
EXB01	White
EXB02	Light Beige
EXB03	Beige
EXB04	Light Grey
EXB05	Grey
EXB06	Yellow
EXB07	Red
EXB08	Dark Blue
EXB09	Black

SPECIFICATION

COMPOSITION	30% Polyester+70% PVC
FINISHED WIDTH	2m/2.5m/3m
ROLL LENGTH	30 Linear Meters
WEIGHT	440 g/m ² ±5%
THICKNESS	0.45mm±5%
OPENNESS	4%
BREAKING STRENGTH	≥3200/5cm; ≥2000/5cm
TEARING STRENGTH	≥500; ≥220
COLOR FASTNESS	GRADE 8, ISO 105 B04
ANTI-ULTRAVIOLET	96%
ANTI-BACTERIA STANDARD	ASTM G21
ECOFRIENDLY TEST	GREENGUARD, GREENGUARD GOLD
FR STANDARD	NFPA701(USA) & GB/T17591 B1 CLASS1/EN 13773-1, B-S1, D0/EN 13501-1 CAN/ULC-S109







GROUPEVE
SUNSHADE TEXTILES

SICHUAN GROUPEVE CO.,LTD

No. 1098, Middle Section of Jiannan Avenue, High-Tech. Zone, Chengdu, P.R. China

Tel./ Fax: 0086 28 8533329,

Tel./ Fax: 0086 28 8533329

Email: info@groupeve.com