



Sunelex

**SUNSCREEN
FABRICS**

CLASSIC
COLLECTION

WWW.SUNETEX.COM

Sunetex

SUNSCREEN FABRIC
CLASSIC COLLECTION



FIBERGLASS

F1100 & FB1100 SERIES

F1100 Series :Openness 5%



FB1100 Series :Openness 3%

Composition:	35% Fiberglass & 65% PVC
Finished Width:	200/250/300cm
Thickness:	0.70mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m²	540g/m ² $\pm$ 5%
Mesh/In(inch):	36*36
Breaking Strength:	Warp 2800N/5cm Weft 2800N/5cm
Anti-Ultraviolet:	95%
Color Fastness:	GB/T 8427-2008 GRADE 8
Fire Classification:	NFPA701(USA)

Composition:	35% Fiberglass & 65% PVC
Finished Width:	200/250/300cm
Thickness:	0.75mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m²	570g/m ² $\pm$ 5%
Mesh/In(inch):	41*32
Breaking Strength:	Warp 2900N/5cm Weft 2800N/5cm
Anti-Ultraviolet:	97%
Color Fastness:	GB/T 8427-2008 GRADE 8
Fire Classification:	NFPA701(USA)

BASIC

www.sunetex.com





F1100 & FB1100 SERIES BASIC

FIBERGLASS SUNSCREEN FABRIC

Openness:5%	Openness:3%
F1101	FB1101
F1102	FB1102
F1103	FB1103

Applications



Roller Shades



Panel Tracks



Roman Shades



Skylight Shades

WWW.SUNETEX.COM

SUNETEX

F1100 & FB1100 SERIES
BASIC

BY GROUPEVE



SICHUAN GROUPEVE CO.,LTD

NO.1098,MIDDLE SECTION OF JIANNAN AVENUE,
HIGH-TECH ZONE,CHENGDU, SICHUAN, P.R. CHINA

TEL./FAX:0086-28-8533 3329

EMAIL:info@groupeve.com

www.sunetex.com