



Sunelex


SUNSCREEN
FABRICS

CLASSIC
COLLECTION

WWW.SUNETEX.COM

Sunetex

SUNSCREEN FABRIC
CLASSIC COLLECTION





Y1200 SERIES

Openness 0%

Composition:	31% Polyester & 69% PVC
Finished Width:	200/250/300/350cm
Thickness:	0.83mm $\pm$ 5%
Standard Packing:	30M
Mesh Weight per m ²	610g/m ² $\pm$ 5%
Mesh/In(inch):	60*42
Breaking Strength:	Warp 3840N/5cm Weft 990N/5cm
Anti-Ultraviolet:	100%
Color Fastness:	GRADE 8
Fire Classification:	NFPA701(USA)/B1(DIN4102-1)/ EN13773(EUR)/B(BS5867-2)



www.sunetex.com






Y1200 SERIES BASIC

Y1201
Y1202
Y1203
Y1206

Y1208
Y1210
Y1211


Applications




Roller Shades



Panel Tracks



Roman Shades



Skylight Shades

WWW.SUNETEX.COM

SUNETEX

Y1200 SERIES BASIC
BY GROUPEVE



SICHUAN GROUPEVE CO.,LTD

NO.1098,MIDDLE SECTION OF JIANNAN AVENUE,
HIGH-TECH ZONE,CHENGDU, SICHUAN, P.R. CHINA

TEL./FAX:0086-28-8533 3329

EMAIL:info@groupeve.com

www.sunetex.com